

# INDEX MAPS.

## T. 11N, R. 1E. 2<sup>nd</sup> Mer.

	315		315		314		314		313		313	
317	6	342	5	336	4	331	3	327	2	322	1	312
	342		341		336		331		326		321	
317	7	341	8	335	9	331	10	326	11	321	12	312
	341		340		335		330		325		321	
316	18	340	17	334	16	330	15	325	14	320	13	312
	340		339		334		329		325		320	
316	19	339	20	334	21	329	22	324	23	319	24	312
	338		338		333		328		324		319	
316	30	338	29	333	28	328	27	323	26	318	25	311
	337		337		332		328		323		318	
315	31	337	32	332	33	327	34	322	35	317	36	311
	309		309-310		309-310		309-310		309-310		309-311	

## T. 12N, R. 1E. 2<sup>nd</sup> Mer.

	349	349	349	350	350	350						
352	6	381	5	374	4	368	3	363	2	358	1	349
	381		380		374		367		362		358	
352	7	380	8	373	9	367	10	362	11	357	12	348
	379		379		373		366		362		358	
352	18	378	17	372	16	366	15	361	14	356	13	348
	378		378		371		365		361		355	
352	19	377	20	370	21	365	22	360	23	355	24	347
	377		376		370		365		360		354	
351	30	376	29	369	28	364	27	359	26	354	25	347
	376		375		369		364		359		353	
350	31	375	32	368	33	363	34	358	35	353	36	347
	346		346		346		345		345		345	

Meanders 381

The figures on the lines refer to the page.

Township N. 12 North, Range N. 1 East 2. Mer. Indiana

South Boundary

Nest On S. boundary of Sec. 36, T12N. R1E

4.94 a Beech 20 in. dia.

40.00 At the q. Sec. post, from which  
a Sugar 10 in. dia. bears S 83 E 26 lbs. dist. of  
a Do 8 " " " S 84 W 22 " "

51.00 a Brook 25 lbs. wide C.S.

65.76 a Beech 14 in. dia.

80.00 At a post Cor. to Sec. 35 & 36, T12N. R1E. from which  
a — 14 in. dia. bears S 37 E 5 lbs. dist. of  
a — 20 " " " S 12 - 12 " "  
Over rolling land, Beech, Sugar, Poplar, undg. Spruce

Nest On S. boundary of Sec. 35, T12N. R1E.

17.92 a Beech 18 in. dia.

40.00 At the q. Sec. post, from which  
an Ash 30 in. dia. bears East 6 lbs. dist. of  
a Beech 8 " " " S 84 W 13 " "

55.30 Poplar 36 " "

80.00 At a post Cor. to Sec. 34 & 35, from which  
a B. Ash 10 in. dia. bears N 56 E 6 lbs. dist. of  
a Hickory 8 " " " S 54 W 19 " "  
Over rich land rolling, timber Poplar, Beech, Sugar &  
undg. Spruce &c

Nest On South boundy. of Sec. 34, T12N. R1E.

37.74 a Brook 3 lbs. wide C.S. —

40.00 At the q. Sec. post, from which  
a Beech 12 in. dia. bears N 43 E 17 lbs. dist. of  
a Hickory 13 " " " N 29 E — " "

64.30 a Walnut 30 " "

80.00 At a post Cor. to Sec. 33 & 34, from which  
a Beech 20 in. dia. bears N 85 E. 50 lbs. dist. of



T12 N. R1 E. 2<sup>d</sup> Mer. Indiana

a Beech 20 in. dia., bear S37 W26 lbs. dist. of  
Over level rich land, timber Walnut, Poplar, ash,  
underg<sup>d</sup>. Spice, &c.

Nest On S. boundary of Sec. 33, T12 N. R1 E.  
20.00 a Beech 18 in. dia.

40.00 At the q. Sec. post, from which  
a Sugar 12 in. dia., bear N10 W23 lbs. dist. of  
a Beech 8 " " " S41 E20 " "

58.30 a Sugar 20 " "

80.00 At a post Cor. to Sec. 32 & 33, T12 N. R1 E, from which  
a Red haw 8 in. dia., bear S83 E24 lbs. dist. of  
a Do 9 " " " N70 W5 " "  
over rich land, timber ash, Sugar, Beech &c underg<sup>d</sup>. Spice

Nest On S. boundary of Sec. 32, T12 N. R1 E.

18.05 a Cherry 24 in. dia.

37.50 a Pond 20 lbs. wide C. N. & S.

40.00 At the q. Sec. post, from which  
a Redbud 6 in. dia., bear N66 W5 lbs. dist. of  
a Do 6 " " " S46 W6 " "

80.00 At a post Cor. to Sec. 31 & 32, T12 N. R1 E, from which  
a Buckeye 10 in. dia., bear S70 E25 lbs. dist. of  
a Do 12 " " " N21 E8 " "  
over very low ground rich Soil, timber Walnut,  
 Hickory, Beech, Poplar &c.

Nest On S. boundary of Sec. 31, T12 N. R1 E.

5.00 a Sycamore 60 in. dia.

20.62 At a post on E. bank of White River, from which  
a Sycamore 12 in. dia., bear N45 W26 lbs. dist. of  
a Do 10 " " " N71 E10 " "  
River 752 lbs. wide C. N. E. & S. W.

T12 St. R1 E. 2<sup>d</sup> Mer. Indiana

- 28.14 Set a post on N. bank of River, from which  
 a Sycamore 24 in. dia. bears N67 E 2 lbs. dist. of  
 a Do 12 " " " S30 W 2 " "  
 37.80 Intersected the 2<sup>d</sup> Mer. at Town Corner.

- East Boundary var. 6.00! E  
 North On E. boundary of Sec. 36, T12 St. R1 E.  
 33.02 a Beech 28 in. dia.  
 40.00 Set q. Sec. post from which  
 a Sugar 14 in. dia. bears S20 W 32 lbs. dist. of  
 a Walnut 16 " " " N79 W 38 " "  
 72.57 a Beech 30 " "  
 80.00 Set a post Cor. to Sec. 25 & 36, T12 St. R1 E, from which  
 a Sugar 14 in. dia. bears N53 W 09 lbs. dist. of  
 an Oak 21 " " " S86 E 22 " "  
 Good farming land, timber Sugar, Ash, Poplar,  
 Walnut & c. underg<sup>th</sup> Spruce & c.

- North On E. boundary of Sec. 25, T12 St. R1 E.  
 40.00 Set the q. Sec. post, from which  
 an Ash 9 in. dia. bears S75 W 16 lbs. dist. of  
 a Do 20 " " " S57 E 10 " "  
 47.22 an Ash 33 " "  
 80.00 Set a post Cor. to Sec. 24 & 25, from which  
 a Beech 20 in. dia. bears N78 W 27 lbs. dist. of  
 a Do 12 " " " N11 E 20 " "  
 Good farming land, timber same as last mile

- North On E. boundary of Sec. 24, T12 St. R1 E.  
 38.50 a Branch 3 lbs. wide C. E.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 6 in. dia. bears S45 E 4 lbs. dist. of  
 a Do 4 " " " N37 W 18 " "

T2 N. R1 E. 2<sup>d</sup>. Mer. Indiana

80.00 Set a post Cor. to Sec. 13 & 24, from which  
 a Beech 12 m. dia., bears N 41 W 45 lbs. dist. of  
 a do 20 " " " S 59 E 15 " "  
 Good farming land, timber as on the last mile

North On E. boundary of Sec. 13, T2 N. R1 E.

16.50 a Creek 40 lbs. wide C.S. S.W.

18.58 a Sugar tree 10 m. dia.

40.00 Set the q. Sec. post, from which  
 a Beech 14 m. dia., bears N 27 W 22 lbs. dist. of  
 a do 6 " " " S 45 E 3 " "

55.20 a Beech 18 m. dia.

80.00 Set a post Cor. to Sec. 12 & 13, from which  
 a Beech 9 m. dia., bears S 33 E 10 lbs. dist. of  
 a Hackberry 10 " " " N 84 W 37 " " level  
 Land & rate, Mostly bottom, timber Beech, ash,  
 Hackberry, Sugar, Elm, Buckeye &c. under g.  
 Spruce, pawpaw &c.

North On E. boundary of Sec. 12, T2 N. R1 E.

18.73 a Hickory 20 m. dia.

38.70 Set a post on left bank of White river from which  
 a Walnut 7 m. dia., bears S 6 W 41 lbs. dist. of  
 a do 9 " " " S 46 E 44 " "

40.00 q. Sec. Corner in the River

61.00 Set a post on the N.E. bank of the River, from which  
 a Lycamore 36 m. dia., bears S 43 E 10 lbs. dist. of  
 a do 30 " " " N 43 W 9 " "

70.00 Set a post Cor. to Sec. 18 & 19, T2 N. R1 E, from which  
 a Hackberry 12 m. dia., bears S 12 W 25 lbs. dist. of  
 a Hickory 18 " " " S 87 E 26 " "  
 This mile River bottom, timber Walnut, Hackberry  
 Hick. B. Buckeye, Sugar &c. under g. Spruce, pawpaw &c.

# T2 N R1 E. 2<sup>d</sup>. Mer. Indiana

North On E. boundy. of Sec. 1, T2 N, R1 E. 2<sup>d</sup>. Mer.  
6.34 a Sugar tree 10 mi. dist.

40.00 At the q. Sec. post, from which  
a Beech 20 mi. dist. bear S 74 E 9 hrs. dist. &  
a do 24 " " " S 88 W 37 " "

48.87 a Hickory 21 " "

80.00 Intersected the Corner. of Town 12 & 13 North  
Range 1 & 2 E. This mile (mostly bottom  
land, timber as on the last mile.

## North Boundary, var. 7.00' E

East On S. boundy. of Sec. 31, T13 N, R1 E.

12.00 a Branch 20 hrs. wide C. S.

39.50 At a post Cor. to Sec. 31 & 32, from which  
a Beech 6 mi. dist. bear N 41 E 19 hrs. dist. &  
a Sugar 18 " " " S 20 W 70 " "  
Broken land, timber Beech, Sugar, Ash, Oak &c.  
July 3<sup>rd</sup> 1819

East On S. boundy. of Sec. 32, T13 N, R1 E.

4.00 a Branch 20 hrs. wide C. S. W.

40.00 At the q. Sec. post, from which  
a Beech 14 mi. dist. bear S 30 E 15 hrs. dist. &  
a do 17 " " " N 10 E 12 " "

80.00 At a post Cor. to Sec. 32 & 33, T13 N, R1 E, from which  
a Sugar 10 mi. dist. bear N 12 E 20 hrs. dist. &  
a do 9 " " " S 30 W 32 " "  
Hilly broken land, timber Beech, Sugar, Oak, ash,  
Maple &c. underg<sup>th</sup>. Hazel, Sassafras &c.

East On S. boundary of Sec. 33, T13 N, R1 E.

20.00 a Creek 70 hrs. wide C. South

40.00 At the q. Sec. post, from which



T12 N. R1 E, 2<sup>nd</sup>. Mer. Indiana

- a Sugar tree 18 mi. diam. bears N40 E 19 lbs. dist. of  
 a Logw? 6 " " " S58 W 16 " "  
 42.08 a Beech 33 " "  
 80.00 Set a post Cor. to Secs. 33 & 34, T13 N. R1 E, from which  
 a Beech 20 mi. diam. bears N69 E 27 lbs. dist. of  
 a do 7 " " " S85 W 25 " "  
 This mile broken down good, on the Creek; timber  
 Beech, Sugar, Poplar, Oak, Elm, little undergrowth

- East On S. side of Sec. 34, T13 N. R1 E.  
 15.50 a Branch 20 lbs. wide C.P.S.  
 40.00 Set the gr. Sec. post, from which  
 an Elm 6 in. diam. bears N37 E 43 lbs. dist. of  
 an Ash 5 " " " S67 E 32 " "  
 65.42 a Beech 28 " "  
 80.00 Set a post Cor. to Secs. 34 & 35, T13 N. R1 E, from which  
 an Elm 8 mi. diam. bears N52 E 16 lbs. dist. of  
 an Ash 7 " " " S42 E 13 " "  
 Good farming land, Beech, Sugar, ash, Elm, &c.

- East On S. boundry of Sec. 35, T13 N. R1 E  
 15.37 a Sugar 27 mi. diam.  
 40.00 Set the gr. Sec. post, from which  
 a Locust 15 mi. diam. bears N14 W 36 lbs. dist. of  
 a Hackberry 6 " " " S8 W 21 " "  
 42.27 a Sugar tree 30 " "  
 79.25 a Creek 200 lbs. wide C.P. Spr.  
 80.00 Set a post Cor. to Secs. 35 & 36, T13 N. R1 E, from which  
 a Hickory 9 mi. diam. bears S86 W 42 lbs. dist. of  
 1<sup>st</sup> rate bottom land, timber Sugar, Locust, Hackberry  
 Buckeye, Elm, Walnut, &c. binding<sup>th</sup> Spice & hamp

East On S. boundry of Sec. 36, T13 N. R1 E.



# T12 N R1 E 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a Buckeye 10 mi. dist. bear N65 E 8 lks. dist. &  
 a Hickory 7 " " " S77 W 28 " "
- 80.00 Intersected Meridian 10.00 South of 6 mile temp.  
 post & set a post Cor. to Town 12 & 13 N. R1 & 2 E, from  
 which a Beech 7 mi. dist. bear N37 W 4 lks. dist. &  
 a Do 12 " " " N64 E 49 " "
- 1<sup>st</sup> 1/2 mile bottom land as before - last 1/2 mile good  
 forming land, Sugar, Beech, Ash, Poplar, &c.  
 underg<sup>g</sup>. Spruce &c.
- Surveyed by John M<sup>c</sup>. Donald, D. S.

## West Boundary or 2<sup>d</sup> Principal Meridian Variation 6° 10' E.

- North On E. boundary of Sec. 36, T12 N. R1 W
- 40.00 Set the q. Sec. post, from which  
 a W. Oak 10 mi. dist. bear N60 E 3 lks. dist. &  
 a Do 10 " " " N70 W 8 " "
- 80.00 Set a post Cor. to Sec. 25 & 36, T12 N. R1 W, from which  
 a Gum 12 mi. dist. bear N17 E 33 lks. dist. &  
 a Do 30 " " " N78 W 2 " "
- South 1/4 bottom - the N. 3/4 hilly, Oak, Hickory  
 Beech, Sugar &c

- North On E. boundary of Sec. 25, T12 N. R1 W
- 40.00 Set the q. Sec. post, from which  
 a P. Oak 27 mi. dist. bear S71 E 15 lks. dist. &  
 a Sugar 9 " " " N16 W 4 " "
- 80.00 Set a post Cor. to Sec. 24 & 25, T12 N. R1 W, from which  
 a Sugar 5 mi. dist. bear N43 E 13 lks. dist. &  
 an Elm 20 " " " S38 W 27 " "
- Land hilly good Soil, Beech, Sugar, ash, Poplar &c.

T12 N. R1 E. 2<sup>nd</sup>? Mer. Indiana

North On E. boundary of Sec. 24, T12 N. R1 W  
 40.00 At the q. Sec. post, from which  
 a Hickory 18 mi. dist. bear S 86 W 4 lbs. dist. of  
 a Beech 4 " " " S 6 E 4 " "  
 80.00 At a post Cor. to Sec. 13 of 24, T12 N. R1 W, from which  
 a Sugar 10 mi. dist. bear S 8 E 20 lbs. dist. of  
 a Beech 9 " " " S 61 W 34 " "  
 Sand broken good soil, timber same as on last mile

---

North On E. boundary of Sec. 13, T12 N. R1 W  
 40.00 At the q. Sec. post, from which  
 a Beech 27 mi. dist. bear S 35 E 20 lbs. dist. of  
 a Sugar 10 " " " N 13 W 18 " "  
 80.00 At a post Cor. to Sec. 12 of 13, T12 N. R1 W, from which  
 a W. Oak 30 mi. dist. bear S 79 E 31 lbs. dist. of  
 a Beech 14 " " " S 63 W 28 " "  
 Sand timber &c. same as on the last mile

---

North On E. boundary of Sec. 12, T12 N. R1 W  
 40.00 At the q. Sec. post, from which  
 a Gum 18 mi. dist. bear S 73 E 24 lbs. dist. of  
 a Beech 10 " " " N 75 W 9 " "  
 80.00 At a post Cor. to Sec. 11 of 12, T12 N. R1 W, from which  
 an Elm 18 mi. dist. bear S 22 W 6 lbs. dist. of  
 a Beech 8 " " " N 3 E 11 " "  
 Sand timber &c. same as on the last mile

---

North On E. boundry of Sec. 1, T12 N. R1 W  
 5.00 a Brook 12 lbs. wide E.  
 40.00 At the q. Sec. post, from which  
 a Hickory 18 mi. dist. bear S 12 E 41 lbs. dist. of  
 a Beech 9 " " " N 52 E 35 " "  
 64.00 a Brook 15 lbs. wide W. E.

# Twp. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

82.00 Set a post Cor. to Towns 12 & 13 N. Range 1 E & 1 W. 2<sup>d</sup>. Meridian, from which  
 a Beech 9 in. dia. bears S 42 E 7 lks. dist. &  
 a Hickory 12 " " " N 27 W 51 " "  
 Land timber &c. same as on the last mile  
 Surveyed by Wm. Harris, Dep. Sur.

Subdivision var. 5.55' E  
 North Between Sec. 35 & 36, T 12 N. R 1 E, 2<sup>d</sup>. Mer.  
 16.50 an Ash 36 in. dia.  
 32.00 a Spring branch W. N. E.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a W. Oak 16 in. dia. bears N 32 W 20 lks. dist. &  
 a Sugar tree 14 " " " S 22 W 14 " "  
 48.00 a Spring branch W. E. S. E.  
 64.00 a Brook 18 lks. wide W. N. W.  
 64.50 a Sugar tree 18 in. dia.  
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Beech 14 in. dia. bears N 50 E 15 lks. dist. &  
 a Beech 16 " " " N 65 W 22 " "  
 Rolling 2<sup>d</sup>. rate land, Ash, Walnut, Sugar tree, W. Oak  
 Beech &c. among<sup>st</sup>. Spruce, Hazel &c.

East On Random between Sec. 25 & 36, T 12 N. R 1 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 60.00 enter a Pond  
 63.00 leave the Pond  
 81.12 Intersected E. boundary 189 lks. S. of the post  
 Land timber &c. same as on the last mile

West On true line between Sec. 25 & 36, T 12 N. R 1 E.  
 24.12 an Elm 20 in. dia. on true line  
 40.56 Set q<sup>r</sup>. Sec. post at av<sup>g</sup>. dist. on true line, from which

# Sp 2 N - R 1 E. 2<sup>d</sup>. Mer. Indiana

a Sugar 8 in. diam. beam N 20 E 17 lbs. dist. 4  
a Do 4 " " " N 49 W 27 " "

56.82 a Beech 18 " "

81.12 to Sect. Corner.

North Between Sect. 25 & 26, T 12 N. R 1 E

11.00 a Brook 6 lbs. wide C. S. N. W.

20.60 a Beech 16 in. diam.

34.50 a Spring branch C. S. N. W.

40.00 At the q. Sec. post, from which  
a Beech 8 in. diam. beam N 58 E 20 lbs. dist. 4  
a Do 7 " " " N 68 E 20 " "

62.40 a Sugar tree 16 " "

64.40 a Stream 20 lbs. wide C. S. N. E.

66.45 Same 20 " " " N. W.

68.00 Same 20 " " " N. E.

80.00 At a post Cor. to Sect. 23, 24, 25 & 26, from which  
a Sugar tree 3 in. diam. beam N 49 W 4 lbs. dist. 4  
a Do 5 " " " N 82 E 14 " "

Part level of part Broken 2<sup>d</sup>. rate land, W. Oak  
ash, Sugar tree, Poplar &c. underg<sup>th</sup>. Spruce &c.

East On Random between Sect. 24 & 25, T 12 N. R 1 E.

5.75 a Stream 20 lbs. wide C. S. N. E.

16.25 to a pond 375 lbs. wide

39.50 a Spring branch C. S. N. W.

40.00 At temp<sup>th</sup>. q. Sec. post,

46.42 a Spring branch C. S. N. W.

81.46 Intersected the E. boundary 252 lbs. S. of post,  
Broken 2<sup>d</sup>. rate land, W. Sp. Oak, Beech, Sugar,  
Poplar &c. underg<sup>th</sup>. Spruce &c.

West On true line between Sect. 24 & 25, T 12 N. R 1 E.



T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

- 19.00 a Beech 18 in. dia. on true line  
 40.73 Set of Sec. post, at av. g. dist. from which  
     a Sugar 8 in. dia. bears N 28 W 27 lks. dist. of  
     a Beech 8 " " " S 38 W 12 " "  
 55.46 a Spanish Oak 5 in. dia. on true line  
 81.46 to Sec. Corner.

North Between Sec. 23 & 24, T12 N. R1 E. 2<sup>d</sup>. Mer.

- 25.65 a Beech 16 in. dia.  
 40.00 Set the of Sec. post, from which  
     a Beech 8 in. dia. bears S 36 E 8 lks. dist. of  
     a W. Oak 20 " " " N 63 W 14 " "  
 64.62 a Beech 24 " "  
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which  
     a Beech 24 in. dia. bears S 67 E 18 lks. dist. of  
     a Llo 17 " " " S 45 W 23 " "  
 Part level 2<sup>d</sup>. rate land - Part Broken 3<sup>d</sup>. rate land.  
 Beech, Poplar, Ash, W. Oak &c. underg<sup>th</sup>. Spruce &c

## East On Random between Sec. 13 &amp; 24, T12 N. R1 E.

- 29.00 a Spring branch of N.W.  
 31.40 a Llo Llo " N.W.  
 40.00 Set temp<sup>ly</sup>. of Sec. post  
 67.00 a Stream 20 lks. wide of N.W.  
 81.65 Intersected the N.E. line 325 lks. S. of the post.  
 Broken 2<sup>d</sup>. rate land Beech, W. Oak, Angartree  
 Poplar &c. underg<sup>th</sup>. Spruce &c.

## West On true line, between Sec. 13 &amp; 24, T12 N. R1 E.

- 19.65 a Angartree 16 in. dia. on true line  
 40.82 Set of Sec. post at av. g. dist. on true line, from which  
     a Beech 20 in. dia. bears S 69 W 4 lks. dist. of  
     a Beech 6 " " " S 69 E 20 " "



T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

58.07 a Beech 13 in. diam. on true line  
81.65 to Sec. Corner

North Between Sec. 13 & 14, T12 N. R1 E. 2<sup>d</sup>. Mer.

17.89 a Brook 10 lbs. wide C. E. S. E.

22.37 a — 12 in. diam.

40.00 At the q. Sec. post, from which  
an Ash 4 in. diam. bears N 57 W 8 lbs. dist. &  
a Beech 20 " " " N 49 E 18 " "

59.80 a Cotton tree 20 in. diam.

60.20 a Stream 25 lbs. wide C. S. W.

64.50 Same 25 " " " N. E.

69.58 Same 25 " " " N. W.

74.00 Same 25 " " " N. E.

76.55 Same 25 lbs. " " " N. W.

79.50 Same 25 " " " N. E.

80.00 At a post Cor. to Sec. 11, 12, 13 & 14, from which  
an Ash 3 in. diam. bears North 10 lbs. dist. &

a Sycamore 20 " " " East 13 " "

Part level & post broken 2<sup>d</sup> & 3<sup>d</sup> rate land; W. Oak,  
Beech, Angar, &c. underg<sup>th</sup>. Spruce &c.

East On Random, between Sec. 12 & 13, T12 N. R1 E.

1.50 a stream 25 lbs. wide C. S. N. N. E.

20.00 Intersected White River, for course See meanders

37.90 by offset to E. side of a bend in W. River

40.00 At temp. q. Sec. post

81.54 Intersected the E. boundary 324 lbs. S. of the post,  
level rich 1<sup>st</sup> rate land, Walnut, Hackberry, Buck-  
eye, Angar tree &c. underg<sup>th</sup>. Spruce &c.

West On true line between Sec. 12 & 13, T12 N. R1 E.

21.40 a Beech 30 in. diam. on true line

T12 N R1 E 3<sup>d</sup>. Mer. Indiana

- 40.77 Let q. Sec. post at av. j. dist. on true line, from which  
 a Buckeye 10 in. dia. bears N 51 W 8 lbs. dist. &  
 a Do 16 " " " N 76 W 9 " "
- 43.64 Let meander on left bank of W. River, from which  
 a Boxelder 16 in. dia. bears S 52 E 24 lbs. dist. &  
 a Hickory 4 " " " N 89 E 20 " "
- 61.54 Let post on left bank of W. River (W. side of bend) from  
 which a Hickory 3 in. dia. bears S 49 W 8 lbs. dist. &  
 a Buckeye 16 " " " N 76 W 27 " "
- 81.54 to Sec. Cor. Sept. 24<sup>th</sup> 1819

North Between Sec. 11 & 12, T12 N. R1 East

- 2.75 a stream 25 lbs. wide C. North  
 7.25 leave 1<sup>st</sup> stream C. N. N. E.  
 13.80 the same stream C. West
- 33.25 Let a post on the left bank of White River, from which  
 a Cottonw. bush 2 in. dia. bears S 31 E 18 lbs. dist. &  
 a Do 1 1/2 " " " S 28 W 18 " "  
 for width of river course &c. See Meanders
- 37.23 Let a post on the right bank of River, from which  
 an Elm 12 in. dia. bears N 46 W 28 lbs. dist. &  
 a Buckeye 4 " " " N 60 E 15 " "
- 40.00 Let the q. Sec. post, from which  
 a Boxelder 10 in. dia. bears N 67 W 6 lbs. dist. &  
 a Hackberry 24 " " " N 87 E 27 " "
- 60.94 a Hackberry 24 " "
- 80.00 Let a post Cor. to Sec. 1, 2, 11, & 12, from which  
 a Hackberry 16 in. dia. bears S 84 E 21 lbs. dist. &  
 a Pawpaw 3 " " " S 35 W 10 " "
- Part level 1<sup>st</sup> rate land, part broken 2<sup>d</sup> rate land  
 overflowed, Sycamore, Maple, Cottonw. Walnut, Buc-  
 keys, Hackberry &c. underg<sup>th</sup> Spruce, Pawpaw &c.

T12 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

East On Random, between Sec. 1 & 12, T12 N. R1 E.  
 40.00 Set temp. 4. q. Sec. post  
 81.88 Intersected the E. boundary 497 th. et. of post.  
 Level 1<sup>st</sup> rate land, Walnut, Buckeye, Hackberry  
 Sugar, Beech, undug. Spice, paw paw &c.

West On true line between Sec. 1 & 12, T12 N. R1 E.  
 27.43 a Beech 14 m. diam. on true line  
 40.94 Set the q. Sec. post. at a J. dist. on true line from which  
 a Beech 18 m. diam. bears 126 W 9 th. dist. &  
 a do 16 " " " N 49 E 26 " "  
 57.47 a Sugar tree 20 " " on true line  
 81.88 to Sec. Corner.

North Between Sec. 1 & 12, T12 N. R1 E. 2<sup>nd</sup>. Mer.  
 22.74 a Hackberry 16 m. diam.  
 24.95 a stream 100 ft. wide Cr. S. S. W.  
 33.78 Same 100 " " " E. S. E.  
 40.00 Set the q. Sec. post. from which  
 a Cottonwood 12 m. diam. bears N 48 E 20 th. dist. &  
 a Willow 10 " " " N 74 W 44 " "  
 44.18 Same stream the line cuts the bend 40 th.  
 68.15 do do Course S. S. W.  
 74.91 Intersected the N. boundary 354 West of post  
 Set a post Cor. to Sec. 1 & 12, from which  
 a Red Oak 12 m. diam. bears 122 W 15 th. dist. &  
 a Blue Ash 14 " " " N 60 E 25 " "  
 Land not much cut up by Bayou, 2<sup>nd</sup> rate  
 Cottonwood, Walnut, Ash, Sycamore &c. undergrowth  
 Spice, Willow, Elder &c. Sept. 25<sup>th</sup>. 1819

North Between Sec. 34 & 35, T12 N. R1 E. 2<sup>nd</sup>. Mer.  
 21.35 a B. Gum 16 m. diam.

T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Let the gr. Sec. post, from which  
a Hornbeam 5 in. diam. bears N 5 E 12 lbs. dist. &  
an Elm 20 " " " S 9 W 24 " "
- 55.00 a Spring branch C.P. N.W.
- 62.24 a Hickory 14 in. diam. ~~bears~~
- 66.12 a Spring branch C.P. Post
- 80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which  
a Sugar tree 4 in. diam. bears N 9 W 12 lbs. dist. &  
a Beech 18 " " " S 40 E 44 " "  
1<sup>st</sup> 1/2 mile broken 2<sup>d</sup> rate land - last 1/2 Broken 3<sup>rd</sup>  
rate land, W. Oak, Ash, Elm, &c. underg<sup>th</sup>. Spice  
Ironwood, briars &c.

- East On Rand<sup>m</sup> between Sec. 26 & 35, T12 N. R1 E
- 16.52 a Spring branch C.P. N.W.
- 20.70 a do do C.P. N.W.
- 40.00 Let temp<sup>y</sup>. gr. Sec. post
- 64.50 a Spring branch C.P. N.W.
- 68.00 a Brook 12 lbs. wide C.P. N.W.
- 79.70 Intersected the N & S. line 67 lbs. S. of the post,  
Broken 3<sup>rd</sup> rate land, W. Oak, Hickory, Beech,  
Sugartree, Poplar &c. underg<sup>th</sup>. Spice, Ironw. vines,  
vine bark, briars &c.

- West On true line between Sec. 26 & 35, T12 N. R1 E.
- 21.62 a Poplar 36 in. diam. on true line
- 39.85 Let the gr. Sec. post at av. dist. on true line from which  
a Beech 30 in. diam. bears N 65 W 18 lbs. dist. &  
a do 18 " " " S 68 E 10 " "
- 49.05 a Sugar 16 " " on true line
- 79.70 to Sec. Corner.

North Between Sec. 26 & 27, T12 N. R1 E, 2<sup>d</sup>. Mer.



# S12 N. R1 E. 2<sup>nd</sup> Mer. Indiana

- 18.25 a Brook 10 lks. wide Cr. S. N. E.  
 25.46 a Hickory 18 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 4 in. dia. bears S56 W 6 lks. dist. of  
 a Do 3 " " " N76 E 12 " "  
 62.70 a Beech 12 " "  
 80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which  
 an Ironwood 4 in. dia. bears N87 W 10 lks. dist. of  
 a Beech 18 " " " S55 E 24 " "  
 Part level & part broken D<sup>rate</sup> land; W. Oak, Beech,  
 Sp. Oak, Hickory, &c. undg<sup>th</sup>, Spice, Ash, Iron. &c.

- East On Rand<sup>m</sup>. between Sec. 23 & 26, S12 N. R1 E.  
 33.12 a Brook 10 lks. wide Cr. E. S. E.  
 40.00 Set temp<sup>y</sup> q. Sec. post  
 79.64 Intersected the N & S. line 46 lks. S. of the post  
 Part broken & part level D<sup>rate</sup> land, N. & Sp. Oak,  
 Beech, Poplar, Ash &c. undg<sup>th</sup>, Spice ash &c.

- West On true line between Sec. 23 & 26, S12 N. R1 E.  
 22.54 a Beech 4 1/2 in. dia. on true line  
 39.82 Set the q. Sec. post, on true line at a q. dist. from which  
 a Hickory 14 in. dia. bears S57 W 18 lks. dist. of  
 a Beech 8 " " " N16 E 16 " "  
 48.54 a Sassafras 14 " " on true line  
 79.64 to Sec. Corner. Apt. 27<sup>th</sup> 1819

- North Between Sec. 22 & 23, S12 N. R1 E.  
 19.75 a Beech 18 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 12 in. dia. bears S59 W 10 lks. dist.  
 a Dogwood 3 " " " N29 E 29 " "  
 63.82 a Shell bark Hickory 26 in. dia.



# T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which  
a Beech 12 m. dia. bray S 23 E 16 lbs. dist. &  
a Sugar 4 " " " S 47 W 19 " "  
Broken part 2<sup>d</sup> part 3<sup>d</sup> ratelard, Beech, N. Oak,  
Oak, Hickory, Poplar, Angartree &c. undery<sup>th</sup>.  
Spice, Ash, Lassafras, birch, Hornbeam &c.

East on Rand<sup>n</sup>. between Sec. 14 & 23, T12 N. R1 E.

40.00 Let temp<sup>y</sup>. q. Sec. post

75.00 a Brook 1<sup>st</sup> 1/2 m. wide C.P. - N. E.

80.12 Intersected E. boundary at the post,  
Part level & part broken 2<sup>d</sup> ratelard, Beech, ash,  
Angartree, undery<sup>th</sup>. Spice, ash &c

West Corrected between Sec. 14 & 23, T12 N. R1 E.

19.90 a Beech 18 m. dia. on true line

40.06 Let q. Sec. post at av. dist. on true line, from which  
a Beech 18 m. dia. bray S 50 E 20 lbs. dist. &  
a Do 3 " " " S 45 W 12 " "

60.78 a Angartree 20 m. dia. on true line

80.12 to Sec. Cor

North Between Sec. 14 & 15, T12 N. R1 E.

22.27 a Beech 10 m. dia.

40.00 Let the q. Sec. post, from which

a Beech 6 m. dia. bray S 44 W 8 lbs. dist. &

a Do 5 " " " S 41 E 18 " "

64.73 a Hickory 10 " "

80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which  
a Dogwood 2 m. dia. bray N 35 W 15 lbs. dist. &  
an Ironwood 3 " " " S 35 E 18 " "  
Broken part 2<sup>d</sup> part 3<sup>d</sup> ratelard, N. Oak, B. Oak,  
Sp. Oak, &c. undery<sup>th</sup>. Lassafras, Dogw<sup>d</sup>. Ironw<sup>d</sup>. &c.

T12 N - R1 E. 2<sup>d</sup>. Mer. Indiana

East On/Random between Sec. 11 & 14 T12 N, R1 E.  
 40.00 Set temp. q. Sec. post  
 80.04 Intersected the ct of S. line 48 lks. S. of the post.  
 Broken 3<sup>d</sup> rate land, Hickory, Beech, W. Oak,  
 Oak &c. undug<sup>th</sup>, bassapar, briar &c.

West On true line between Sec. 11 & 14, T12 N, R1 E.  
 26.30 a Beech 24 in. dia. on true line  
 40.02 Set q. Sec. post at a q. dia. on true line, from which  
 a W. Oak 12 in. dia. bear S 20 E 18 lks. dist. &  
 a Beech 5 " " " N 59 W 7 " "  
 58.29 a Poplar 48 " " on true line  
 80.04 Sec. Corner. Sept. 28<sup>th</sup> 1819

North Between Sec. 10 & 11, T12 N, R1 E. 2<sup>d</sup>. Mer.  
 31.00 Hickory 24 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 24 in. dia. bear S 66 W 6 lks. dist. &  
 a Do 20 " " " S 55 E 14 " "  
 53.13 Set a post on left bank of White river, from which  
 a Sycamore 10 in. dia. bear S 70 W 12 lks. dist. &  
 a Do 4 " " " N 31 E 22 " "  
 58.93 Set a post on the Right bank of river, from which  
 a Blue Ash 18 in. dia. bear S 75 E 6 lks. dist. &  
 a Mulberry 5 " " " N 26 W 11 " "  
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which  
 a Blue Ash 16 in. dia. bear S 28 W 28 lks. dist. &  
 a Hackberry 14 " " " N 82 E 18 " "  
 Land on S. side poor broken 3<sup>d</sup> rate land that on  
 N. side, level 1<sup>st</sup> rate land, B. W. Oak, Hickory  
 Walnut, Hackberry, Ash &c. undug<sup>th</sup>, Spice &c.

East On/Random betw<sup>n</sup>. Sec. 2 & 11, T12 N, R1 E

# T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

40.00 At turnp. q. Sec. post  
 61.20 a Stream 100 lrs. wide Q. D. & E.  
 79.94 Intersected the st. line 158 lrs. S. of the post.  
 Land part 1<sup>st</sup> & part 2<sup>d</sup> rate, Sugar, Ash, Beech, Wal-  
 nut, Sycamore, Cottonw. &c. underg<sup>d</sup> Spice paw paw &c

---

Next On true line between Sec. 2 & 11, T12 N. R1 E.  
 15.96 a Hackberry 16 m. dia. on true line  
 39.97 At the q. Sec. post at q. dist. on true line, from which  
 a Sugar 12 m. dia. bran N 65 W 6 lrs. dist. &  
 a Do 16 " " " N 66 E 32 " "  
 58.00 a Hickory 14 " " on true line  
 79.94 to Sec. Cor.

---

North Between Sec. 2 & 3, T12 N. R1 E, 2<sup>d</sup>. Mer.  
 20.46 a Beech 18 m. dia.  
 40.00 At the q. Sec. post, from which  
 a Hickory 20 m. dia. bran N 47 W 6 lrs. dist. &  
 an Ash 4 " " " S 78 E 21 " "  
 58.40 a Buckeye 12 m. dia.  
 75.10 Intersected the st. boundary 288 lrs. N. of post  
 & at a post Cor. to Sec. 2 & 3, from which  
 a Beech 10 m. dia. bran N 63 W 18 lrs. dist. &  
 a Walnut 6 " " " N 65 E 20 " "  
 Level part 1<sup>st</sup> & part 2<sup>d</sup> rate land, Walnut  
 Hackberry, Beech, Ash, Hick<sup>y</sup>; Spice paw paw &c  
 underg<sup>d</sup>, Sept. 29<sup>th</sup> 1819

---

North Between Sec. 33 & 34, T12 N. R1 E  
 22.85 an Ash 18 m. dia.  
 40.00 At the q. Sec. post, from which  
 a Beech 10 m. dia. bran N 45 E 16 lrs. dist. &  
 a Do 4 " " " N 61 W 14 " "

T12 N. R1 E. 2<sup>d</sup> Mer. Indiana

- 41.78 a Spring branch C. W.  
 59.81 a Beech 16 m. diam.  
 80.00 At a post Cor. to Sec. 27, 28, 33 & 34, from which  
 a Sugar 4 m. diam. bears N 32 E 9 lks. dist &  
 a Beech 28 " " " N 12 W 8 " "  
 Broken 2<sup>d</sup> rate land, Sugar, Beech, Hickory  
 Ash, W. Oak, undug<sup>th</sup> Spice, ash &c.
- 

- East On Land <sup>in</sup> betw<sup>n</sup> Sec. 27 & 34, T12 N. R1 E.  
 40.00 At temp<sup>l</sup> q. Sec. post  
 44.00 a Spring branch C. S. S. E.  
 65.10 Brook 10 lks. wide C. S. E.  
 80.80 Intersected the N. H. line, 70 lks. S. of the post,  
 Part 1<sup>st</sup> & part 2<sup>d</sup> rate land, W. Oak, Beech,  
 Sp. Oak, Sugar, Poplar, Hickory &c. undug<sup>th</sup> Spice  
 Ash, Ironw<sup>d</sup> &c.
- 

- West On true line between Sec. 27 & 34, T12 N. R1 E.  
 21.32 a Poplar 30 m. diam. on true line  
 40.40 At the q. Sec. post, at a q. dist on true line from which  
 a Sugar 4 m. diam. bears N 41 E 5 lks. dist &  
 a Do 4 " " " N 25 E 8 " "  
 56.20 an Ash 24 " " on true line  
 80.80 to Sec. Corner
- 

- North Between Sec. 27 & 28, T12 N. R1 E. 2<sup>d</sup> Mer.  
 22.32 a Hickory 20 m. diam.  
 40.00 At the q. Sec. post, from which  
 a Beech 12 m. diam. bears N 39 W 18 lks. dist &  
 a W. Oak 5 " " " N 30 E 8 " "  
 65.82 a Beech 10 " "  
 80.00 At a post Cor. to Sec. 21, 22, 27 & 28, from which  
 a Dogwood 6 m. diam. bears N 46 W 15 lks. dist &



# T12 N - R1 E. 2<sup>d</sup>. Mer. Indiana

Sugar 3 m. dist. bray S 22 W 14 lbs. dist.  
 Broken 3<sup>rd</sup> rate land, W & Sp. Oak, Hickory, beech,  
 Sugar &c. running<sup>th</sup>. Dogw. Spice, briars &c.  
 September 30<sup>th</sup> 1819

---

East On Randm. betw<sup>n</sup>. Sec. 22 & 27, T12 N. R1 E.  
 40.00 Left temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 84.64 Intersected the N & S. line, 56 lbs. S. of post  
 Land timber &c. Same as on the last mile

---

West On true line between Sec. 22 & 27, T12 N. R1 E.  
 19.59 a Spr Oak 24 m. dist. on true line  
 40.32 Left q<sup>r</sup>. Sec. post on true line at w<sup>y</sup>. dist. from which  
 a Dogwood 4 m. dist. bray N 73 E 18 lbs. dist. of  
 a Do 4 " " " S 2 W 16 " "  
 60.39 a Poplar 20 " " on true line  
 80.04 to Sec. Corner.

---

North Between Sec. 21 & 22, T12 N. R1 E. 2<sup>d</sup>. Mer.  
 21.00 a Beech 14 m. dist.  
 40.00 Left the q<sup>r</sup>. Sec. post, from which  
 a Sugar tree 4 m. dist. bray N 7 W 7 lbs. dist. of  
 a Do 13 " " " N 43 E " "  
 63.09 a B. Oak 16 " "  
 80.00 At a post Cor. to Sec. 15, 16, 21 & 22, from which  
 a Beech 8 m. dist. bray S 55 W 12 lbs. dist. of  
 an Iron<sup>y</sup>. 3 " " " S 63 E 10 " "  
 Broken 4<sup>th</sup> rate land, B & W. Oak, Beech, hickory &  
 running<sup>th</sup>. Sassafras &c.

---

East On Randm. betw<sup>n</sup>. 15 & 22, T12 N. R1 E.  
 40.00 Left temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.70 Intersected the N & S. line 42 lbs. S. of post.



T12 N. R1 E. 2<sup>d</sup> Mer. Indiana

Part Broken part 3<sup>d</sup> & part 4<sup>th</sup> rate land, Bk  
 W. Oak, Beech, Hickory, Poplar &c. undug<sup>th</sup>,  
 Sassafras, Hick<sup>y</sup>, Poplar &c.

West On true line between Sec. 15 & 22, T12 N. R1 E.  
 22.05 Beech 18 m. dia. on true line  
 40.35 At q. Sec. post at ar. dist. from which  
     a Sugar 8 m. dia. bears N 26 W 14 lks. dist. &  
     a Beech 12 " " " S 33 W 18 " "  
 58.55 a Beech 12 " " on true line  
 80.70 to Sec. Corner.

North Between Sec. 15 & 16, T12 N. R1 E.  
 19.30 a Hickory 14 m. dia.  
 40.00 At the q. Sec. post, from which  
     a Hickory 16 m. dia. bears N 64 E 21 lks. dist. &  
     a Hornbeam 8 " " " S 81 W 15 " "  
 59.50 Sugar tree 20 " "  
 80.00 At a post cor. to Sec. 9, 10, 15 & 16, from which  
     a Hickory 18 m. dia. bears N 8 E 16 lks. dist. &  
     a Buckeye 12 " " " S 48 W 31 " "  
 Level 1<sup>st</sup> rate land, Walnut, Hackberry, Sugar,  
 Shell, bark Hickory &c. undug<sup>th</sup>, Spice &c.  
 October 1<sup>st</sup>. 1819.

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec. 10 & 15, T12 N. R1 E.  
 40.00 At temp<sup>y</sup>. q. Sec. post  
 80.10 Intersected the S. line 44 lks. S. of post - first  
     15.00 level 1<sup>st</sup>  
     land 1<sup>st</sup> rate, Walnut, Hackberry, &c. the balance  
     on S. line broken 3<sup>d</sup> rate, W. Oak, Beech,  
     Hickory &c. undug<sup>th</sup>, Spice, Sassafras, Dogw. &c.

West On true line between Sec. 10 & 15, T12 N. R1 E.

# W. N. R. E. 2<sup>d</sup> Mer. Indiana

- 25.68 a Sugar 18 in. diam. on true line  
 40.05 at q. Sec. post at av. J. dist. from which  
     a Hornbeam 4 in. diam. bears S 44 E 11 lbs. dist. 5  
     a Beech 6 " " " N 63 W 28 " "  
 60.19 a Hickory 16 " " on true line  
 80.10 to Sec. Corner.

## North Between Sec. 9 & 10, T. 2 N. R. 1 E. D. Mer.

- 12.37 Set a post on the left bank of White river, from which  
     a Buckeye 10 in. diam. bears S 35 E 15 lbs. dist. 8  
     a Blue Ash 5 " " " S 42 W 31 " "  
 16.17 Set a post on the right bank of White river, from which  
     a Cottonwood 3 in. diam. bears S 74 W 9 lbs. dist. 8  
     a Do 4 " " " N 47 E 16 " "  
 28.42 a Hackberry 36 in. diam.  
 40.00 Set the q. Sec. post, from which  
     a Hackberry 10 in. diam. bears S 31 E 16 lbs. dist. 8  
     a Do 3 " " " N 34 E 20 " "  
 61.18 a Buckeye 16 " " 25 lbs. west of the River bank  
 80.00 Set a post cor. to Sec. 3, 4, 9 & 10, from which  
     a Buckeye 9 in. diam. bears S 65 E 6 lbs. dist. 8  
     a Blue Ash 16 " " " S 47 W 14 " "  
 Sand 1<sup>st</sup> rate, Walnut, Buckeye, Hackberry, ash &c. under-  
 growth, Spruce, Pawpaw &c Oct. 2<sup>d</sup>. 1819

## East On Random between Sec. 3 & 10, T. 2 N. R. 1 E.

- 14.50 Intersected the N.W. bank of White river  
 40.00 Set temp. q. Sec. post on S. N.W. bank of River  
 48.12 leave the N.W. bank of White river by offset  
 80.40 Intersected the N. & S. line 38 lbs. S. of the post  
 Lombard land; Walnut, Hackberry, Buckeye, Blue  
 Ash, &c. underg. Spruce, pawpaw &c

# T<sup>h</sup> N. R1 E. 2<sup>d</sup>. Mer. Indiana

- West On true line between Sec. 3 & 10, T12 N. R1 E.  
 19.42 a Hackberry 24 m. dia. on true line  
 32.20 Set a post on White river on right bank, from which  
 a Sugar tree 16 m. dia. bran N60 W 14 lks. dist. &  
 a Red Oak 12 " " " N64 E 15 " "  
 40.20 Set of Sec. post at av. dist. on River bank 2.89 lks. N.  
 of the true line, from which  
 a Sugar tree 20 m. dia. bran S53 W 4 lks. dist. &  
 a Elm 12 " " " S54 E 20 " "  
 65.90 Set a post Cor. to Sec. 3 & 10, on N.W. bank of White river  
 on true line, from which  
 a Buckeye 5 m. dia. bran N15 W 6 lks. dist. &  
 a Hickory 14 " " " S34 W 16 " "  
 80.40 to Section Corner.

- North Between Sec. 3 & 4, T12 N. R1 E. 2<sup>d</sup>. Mer.  
 20.96 a Hickory 16 m. dia.  
 40.00 Set the of Sec. post, from which  
 a Walnut 22 m. dia. bran N47 E 24 lks. dist. &  
 a Walnut bush 2 " " " S33 W 15 " "  
 62.65 a Beech 14 " "  
 74.90 Intersected the N. boundary 235 lks. N. of the post  
 Set a post Cor. to Sec. 3 & 4, from which  
 a Beech 10 m. dia. bran S14 E 19 lks. dist. &  
 a B. Oak 30 " " " N33 W 20 " " First 1/2  
 mile level 1<sup>st</sup> rate land; Walnut, Beech, Buckeye, Hack-  
 berry &c. undug. Spruce & poplar - residue on said  
 line Poor broken 4<sup>th</sup> rate land, B. W. Oak Beech,  
 Hickory &c. undug. Sassafras, birch &c. Oct. 4<sup>th</sup> 1819

- North Between Sec. 32 & 33, T12 N. R1 E. 2<sup>d</sup>. Mer.  
 26.60 a Sugar tree 12 m. dia.  
 40.00 Set the of Sec. post, from which

T<sup>2</sup> N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

- a Buckeye 14 mi. dist. bearing N 81 E 28 lbs. dist. of  
 a do 12 " " " N 85 W 14 " "  
 65.35 a Walnut 18 " "  
 80.00 Set a post Cor. to Sec. P. 28 & 29, 32 & 33, from which  
 a Buckeye 12 mi. dist. bearing S 64 E 18 lbs. dist. of  
 a do 14 " " " S 14 W 30 " "  
 Level 1<sup>st</sup> rate land; Walnut, Hackberry, Elm Oak,  
 Buckeye, Ash &c. Spruce, prairie &c.

East On Random between Sec. P. 28 & 33, T<sup>2</sup> N. R. 1 E.

- 40.00 Set temp. q. Sec. post  
 69.57 a Spring branch C. S. H. N. W.  
 81.67 Intersected the N & S. line 84 lbs. S. of the post  
 1<sup>st</sup> 1/2 mile, level 1<sup>st</sup> rate land; Walnut, Buckeye, Hackberry  
 &c. — 2<sup>d</sup> 1/2 mile broken 2<sup>d</sup> rate land, Poplar, N. Oak, ash,  
 Beech &c. ending 1<sup>st</sup> Spruce &c.

West On true line between Sec. P. 28 & 33, T<sup>2</sup> N. R. 1 E.

- 21.17 a N. Oak 26 mi. dist. on true line  
 40.83 Set q. Sec. post at asy. dist. on true line, from which  
 a Walnut 60 mi. dist. bearing S 35 W 8 lbs. dist. of  
 a Buckeye 18 " " " N 49 E 27 " "  
 60.29 a Beech 24 " " on true line  
 80.67 to Sec. Corner.

North Between Sec. P. 28 & 29, T<sup>2</sup> N. R. 1 E. 2<sup>d</sup>. Mer.

- 23.28 a Hackberry 16 mi. dist.  
 37.66 Set a post on E. E. bend of left bank of White R. from which  
 a Hornbeam 8 mi. dist. bearing S 56 E 7 lbs. dist. of  
 a Walnut 10 " " " S 33 W 28 " "  
 40.00 Set the q. Sec. post on River bank — 1/2 mi. E. of true line, from  
 which a Hackberry 16 mi. dist. bearing S 14 E 19 lbs. dist. of  
 a Buckeye 13 " " " N 10 E 18 " "



Twp. N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

66.80 At a post left bank of White river N. Side of bar, from  
which a Sugar tree 18 in. dia. bears S 67° E 6 lbs. dist. &  
a Buckeye 14 " " " N 45° W 10 " "

80.00 At a post Cor. to Sec. 20, 21, 28 & 29, from which  
a Buckeye 12 in. dia. bears N 47° W 10 lbs. dist. &  
a Hackberry 16 " " " S 55° E 25 " "

Level 1<sup>st</sup> rate land, Walnut, Hackberry, Buckeye &c.  
undergrowth, Spice, pawpaw &c. October 5<sup>th</sup> 1819

East On Random between Sec. 21 & 28, Twp. N. R. 1 E.

40.00 At the temp. pt. Sec. post,

81.72 Intersected the N & S. line 51 lbs. S. of the post  
First  $\frac{1}{2}$  mile level 1<sup>st</sup> rate land; Walnut, Hackberry  
Buckeye, Locust &c. 2<sup>d</sup>  $\frac{1}{2}$  mile broken 3<sup>d</sup> rate land,  
H. Oak, Beech, Sugar tree, Hick. &c. undergrowth. Spice, pawpaw,  
Lassapay, ash, birch &c.

West On true line between Sec. 21 & 28, Twp. N. R. 1 E.

20.10 a Beech 26 in. dia. bears out true line

40.86 At pt. Sec. post at ang. dist. on true line, from which  
an Elm 18 in. dia. bears N 20° W 12 lbs. dist. &  
a Do 14 " " " S 25° W 14 " "

59.22 a Locust 24 in. dia. on true line

81.72 to Sec. Corner.

North Between Sec. 20 & 21, Twp. N. R. 1 East

26.62 a Hackberry 28 in. dia.

29.72 At a post on the left bank of White river, from which  
a Walnut 5 in. dia. bears S 50° W 46 lbs. dist. &  
a Buckeye 16 " " " S 44° E 52 " "

34.14 At a post on Island, from which  
a Cottonwood 6 in. dia. bears N 18° W 12 lbs. dist. &  
a Do 10 " " " N 28° E 18 " "

T.D.N. - P.E. 3<sup>rd</sup> Mer. Indiana

- 40.00 At the q. Sec. post, on Island, from which  
a Redbud 6 m. dia. bears N 74° W 2 lbs. dist. of  
a Hornbeam 3 " " " S 68° E 2 " "
- 40.61 At post on N. side of Island, from which  
a White Thorn 2 m. dia. bears N 48° W 10 lbs. dist. of  
a Surf. Dogw. 3 " " " S 45° W 14 " " left island
- 44.21 At a post on left bank of River, from which  
a Cottonwood 6 m. dia. bears N 14° W 28 lbs. dist. of  
a Do 10 " " " S 21° E 42 " "
- 61.22 At a post on the left bank again, from which  
a Redbud 4 m. dia. bears S 28° E 12 lbs. dist. of  
a Do 2 " " " N 48° W 7 " "
- 65.49 At a post on the right bank of White river, from  
which a Cottonw. 4 m. dia. bears N 58° E 14 lbs. dist. of  
a Do 10 " " " S 54° W 24 " "
- 80.00 At a post Cor. to Sec. 16, 17, 20 & 21, from which  
a Maple 16 m. dia. bears N 23° E. 24 lbs. dist. of  
a cottonw. 42 " " " S 70° W 18 " "
- Sand level & much not overflowed by River, Walnut,  
Hackberry, Buckeye, Cottonwood, Willow, Sycamore &c.  
underg<sup>th</sup>, Spice, Elder, &c. for. Course width. &c of the  
River see Meanders

---

East On Random betw. Sec. 16 & 21, T 12 N. R 1 E.

13.03 Intersected the right bank of W. River

19.03 over to left bank of White River

40.00 At temp. q. Sec. post

81.60 Intersected the N & S. line 46 lbs. S. of the post.  
Land level rich 1<sup>st</sup> rate, Walnut, Locust, Sugar tree,  
Buckeye &c. underg<sup>th</sup>, Spice, papwa &c. Oct. 6<sup>th</sup> 1819

---

West On true line between Sec. 16 & 21, T 12 N. R 1 E.

21.75 a Sugar tree 20 m. dia. on true line

# St. N. R. E. 2<sup>d</sup> Mer. Indiana

- 40.80 At the g. Sec. post at arj. dist. on line, from which  
a Buckeye 2 1/2 in. dia. bears N 65 W 10 lbs. dist. of  
a Sugar tree 14 " " " N 68 E 54 " "
- 61.93 At a post on true line on left bank of White R. from  
which a Buckeye 18 in. dia. bears S 50 E 15 lbs. dist. of  
a Hackberry 3 " " " N 38 E 8 " "
- 67.97 At a post on the right bank of White R. from which  
a Sycamore 14 in. dia. bears N 50 W 18 lbs. dist. of  
a Do 16 " " " S 47 W 24 " "
- 81.60 to Sec. Corner.

- North Between Sec. 16 & 17, St. N. R. E. 2<sup>d</sup> Mer.
- 10.09 At a post on the right bank of White R. from which  
a Buckeye 10 in. dia. bears S 84 E 6 lbs. dist. of  
a Sycamore 36 " " " N 79 W 18 " "
- 22.00 At a post on the left bank of W. River, from which  
a Maple 4 in. dia. bears N 44 E 7 lbs. dist. of  
a Sycamore 3 " " " N 73 W 6 " "
- 40.00 At the g. Sec. post, from which (on left bank of River)  
a Sycamore 18 in. dia. bears N 22 E 10 lbs. dist. of  
a Red bud 6 " " " S 3 W 10 " "
- 44.16 At a post on the Right bank of W. river, from which  
a Cottonwood 8 in. dia. bears S 83 W 8 lbs. dist. of  
a Do 6 " " " N 86 E 27 " "
- 55.78 a B. Walnut 18 " "
- 80.00 At a post Cor. to Sec. 8, 9, 16 & 17, from which  
a Hickory 8 in. dia. bears N 64 W 11 lbs. dist. of  
a Pawpaw 3 " " " S 59 E 15 " "
- Part level, first rate land; part cut with barrens  
or Savannas, 2<sup>d</sup> rate land; B. Walnut, Hackberry  
Buckeye, Sycamore, Cottonw. Willow &c. under g.  
Spice, Elder, vines &c.

# T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

East On Random between Sec. 9 & 16, T12 N. R1 E.

9.41 Intersected the Right bank of White river

13.41 leave white river

40.00 At temp<sup>y</sup>. of Sec. post

80.90 Intersected the N & S. line 24 lbs. S. of the post  
Level 1<sup>st</sup>. rate land, Walnut, Hackberry, Locust,  
Blue Ash, Angustif. undug<sup>th</sup>. Spruce, papera &c.

West On true line betw<sup>n</sup>. Sec. 9 & 16, T12 N. R1 E.

19.50 a Hackberry 16 in. diam. on true

40.45 At the of. Sec. post at anj. dist. on true line, from which  
a Honey Locust 14 in. diam. bears N 63 E 6 lbs. dist. of  
a Hackberry 12 " " " S 74 W 35 " "

60.62 a Sycamore 14 " " on true line

67.29 At a post on the left Bank of White R. from which  
a Cottonw<sup>d</sup>. 6 in. diam. bears N 78 E 12 lbs. dist. of  
a Do 3 " " " S 35 W 11 " "

71.29 At a post on the Right bank of White R. from  
which Cottonwood 16 in. diam. bears N 19 E 12 lbs. dist. of  
a Willow 3 " " " S 34 W 17 " "

80.90 to Sec. Corner. Oct. 7<sup>th</sup> 1819.

North Between Sec. 8 & 9, T12 N. R1 E. 2<sup>d</sup>. Mer.

20.87 a Beech 16 in. diam.

40.00 At the of. Sec. post, from which  
a Beech 4 in. diam. bears N 42 E 10 lbs. dist. of  
a Dogw<sup>d</sup>. 3 " " " S 87 W 14 " "

61.20 a Beech 16 " "

78.28 a Stream 20 lbs. wide C. S. A. E.

80.00 At a post Cor. to Sec. 4, 5, 8 & 9, from which  
a Angustif. 6 in. diam. bears N 7 E 13 lbs. dist. of  
a Do 5 " " " S 7 W 14 " "

Proton 3<sup>rd</sup>. rate land; Beech, W & B. Oak, Sugar &c



T<sup>h</sup> N. R<sup>1</sup> E. 2<sup>d</sup> Mer. Indiana  
under<sup>th</sup> Lassafras River &c.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 4 & 9, T<sup>h</sup> 2 N. R<sup>1</sup> E.  
29.88 a Brook 10 lks. wide C. S. E.  
34.50 a do 8 " " " S. S. E.  
40.00 At temp<sup>y</sup>. of Sec. post  
81.28 Intersected the S. line 46 lks. — of post  
Part level, post broken 1<sup>st</sup> & 2<sup>d</sup>. rate land, Walnut  
Hackberry, Buckeye, Maple, Beech, W. Oak, P. Oak  
&c. under<sup>th</sup> Spice, persimmon, Hazel, Ironw<sup>d</sup>. &c.

West On true line between Sec<sup>s</sup>. 4 & 9, T<sup>h</sup> 2 N. R<sup>1</sup> E.  
19.81 a Hickory 20 m. dist. on true line  
40.64 At of Sec. post at of. dist. on true line, from which  
a Beech 3 m. dist. bear N 56<sup>th</sup> W 6 lks. dist. of  
a do 4 " " " S 63<sup>th</sup> E 10 " "  
58.16 a Beech 19 " " on true line  
81.28 to Sec. Corner.

North Between Sec<sup>s</sup>. 4 & 5, T<sup>h</sup> 2 N. R<sup>1</sup> E. 2<sup>d</sup> Mer.  
17.40 a Stream 20 lks. wide C. S. S. W.  
40.00 At the of Sec. post, from which  
a Beech 18 m. dist. bear N. 5 E 5 lks. dist. of  
a do 2 1/2 " " " S 78<sup>th</sup> W 16 " "  
50.00 the same Stream C. P. S. S. E.  
61.75 do do " S. S. W.  
62.54 an Elm 5 m. dist.  
73.58 Intersected the N. boundary 310 lks. N. of post.  
Set a post Cor. to Sec<sup>s</sup>. 4 & 5, from which  
a Beech 16 m. dist. bear S 73<sup>th</sup> E 12 lks. dist. of  
a do 14 " " " N 49<sup>th</sup> W 22 " "  
3<sup>d</sup>. rate land; Beech, W. B. Oak, Sycamore &c. under<sup>th</sup>.  
Hornbeam, Ironw<sup>d</sup>. Spice, birch &c. Oct. 8<sup>th</sup> 1819

# Sp. N. R. E. 2<sup>nd</sup> Mer. Indiana

North Between Sec. 31 & 32, T12 N. R1 E.

20.40 an Elm 18 in. dia.

25.10 Set a post on the left bank of W. River, from which  
a Maple 6 in. dia. bears N 70 E 27 lbs. dist. &  
a Box elder 3 " " " S 33 W 31 " "

30.50 Set a post on the Right bank of W. River, from which  
a Cottonw. 10 in. dia. bears N 4 W 25 lbs. dist. &  
a do 6 " " " N 9 E 26 " "

40.00 Set the 9<sup>th</sup> Sec. post, from which  
a Beech 14 in. dia. bears S 30 W 14 lbs. dist. &  
a Hickory 22 " " " N 38 E 28 " "

65.70 a Hickory 18 " "

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which  
a W. Oak 16 in. dia. bears S 57 W 18 lbs. dist. &  
a do 20 " " " S 51 E 25 " "

Part level overflowed 2<sup>nd</sup> rate land, part broken  
4<sup>th</sup> rate land, Ash, Elm, Maple, Cottonw. W. B. Oak,  
Hickory &c. underg<sup>th</sup>. Elder, pawpaw, Sassafras, &c.

East On Random between Sec. 29 & 32, T12 N. R1 E

40.00 Set temp<sup>y</sup>. 9<sup>th</sup> Sec. post

50.22 Intersected the Right bank of White R

54.76 to left bank of White River

81.76 Intersected the N & S. line 44 lbs. S. of the post.

1<sup>st</sup> 1/2 mile broken 4<sup>th</sup> rate land - 2<sup>nd</sup> 1/2 mile level 1<sup>st</sup>  
rate land, W & B. Oak, Hickory &c. on 1<sup>st</sup> 1/2 mile;  
Walnut, Locust, Hackberry, Buckeye &c. on 2<sup>nd</sup> 1/2  
mile; underg<sup>th</sup> Sassafras, Hickory, birch, Spruce, paw-  
paw, Hazel &c.

West on true line between Sec. 29 & 32, T12 N. R1 E.

26.70 Set a post on the Left bank of White River, from which  
a Maple 4 inches dia. bears S 13 E 4 lbs. dist. &

T12 N. R1 E. 2<sup>n</sup> Mer. Indiana

- a Cottonw. 6 m. dia. bears N47 W. 12 lrs. dist.  
 31.14 Set a post on Right bank of White River, from which  
 a Cottonw. 8 m. dia. bears N76 W 20 lrs. dist. of  
 a Do 6 " " " S63 W 25 " "  
 40.88 Set of. Sec. post at asf. dist. on true line, from which  
 a Hickory 22 m. dia. bears N73 W 6 lrs. dist. of  
 a Buckeye 10 " " " S40 W 18 " "  
 59.51 a Sugar tree 14 m. dia. on true line  
 81.70 to Sec. Corner.

## West Between Sec. 30 &amp; 31, T12 N. R1 E.

- 19.30 a W. Oak 42 m. dia.  
 35.80 Intersected the 2<sup>d</sup> Meridian 615 lrs. N. of the  
 post Set a post Cor. to Sec. 30 & 31 from which  
 a Beech 14 m. dia. bears N42 E 19 lrs. dist. of  
 a Dogw. 4 " " " S71 W 14 " "  
 Broken 4<sup>th</sup> rate land; Bur & W. Oak, Sp. Oak,  
 Hickory &c. underg<sup>th</sup> Dogw. Sassafras, Greenbrier &c.

## North Between Sec. 29 &amp; 30, T12 N. R1 E.

- 22.78 a W. Oak 28 m. dia.  
 40.00 Set the of. Sec. post, from which  
 a Beech 18 m. dia. bears N48 W 14 lrs. dist. of  
 a Do 5 " " " S52 E 25 " "  
 53.45 a Brook 6 lrs. wide A. P. E.  
 59.78 a Beech 20 m. dia.  
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Hickory 4 m. dia. bears N66 E 25 lrs. dist. of  
 a Dogw. 5 " " " S17 W 17 " "  
 Broken 3<sup>rd</sup> rate land; B & W. Oak, Hickory, Beech  
 &c. underg<sup>th</sup> Sassafras, Dogw. Ironw. greenbrier &c.

## East On Randm. between Sec. 20 &amp; 29, T12 N. R1 E

# T12 N. R1 E. 2<sup>d</sup> Mer. Indiana

377

- 40.00 Let trip 4. q. Sec. post.  
 67.90 Intersected the right bank of White River  
 72.82 to the left bank of the same  
 80.84 Intersected the N & S. line 14 hrs. S. of the post  
 Post level 1<sup>st</sup> rate land; post broken 3<sup>rd</sup> rate land;  
 Sugar, Walnut, Beech, W & B. Oak, Hickory,  
 Ash, Poplar &c. underg<sup>th</sup> Spruce, Ironw<sup>d</sup>. birch &c.

- Met On true line between Sec. 20 & 29, T12 N. R1 E.  
 8.02 Let a post on the left bank of W. River from which  
 a Hickory 6 m. dist. bears S 79 E 14 hrs. dist. &  
 an Ash 14 " " " N 32 E 15 " "  
 12.94 Let a post on the Right bank of S. River, from which  
 a Sycamore 6 m. dist. bears N 58 W 11 hrs. dist. &  
 a Maple 3 " " " S 65 W 18 " "  
 40.42 Let q. Sec. post at av. J. dist. on true line, from which  
 a Dogw<sup>d</sup>. 3 m. dist. bears S 25 W 16 hrs. dist. &  
 a Slo 8 " " " N 26 E 12 " "  
 59.06 a Beech 14 " " on true line  
 80.84 to Sec. Corner. October 9<sup>th</sup>. 1819

- Met Between Sec. 19 & 30, T12 N. R1 E. 2<sup>d</sup> Mer.  
 25.70 an Ash 30 m. dist.  
 35.60 Intersected the 2<sup>d</sup> Mer. 714 hrs. N. of the post &  
 Let a post Cor. to Sec. 19 & 30, T12 N. R1 E. from which  
 a Beech 8 m. dist. bears N 82 E 18 hrs. dist. &  
 a Slo 4 " " " S 63 E 28 " "  
 Broken 3<sup>rd</sup> rate land; Beech, W & B. Oak, Sugar,  
 Poplar &c. underg<sup>th</sup> Dogw<sup>d</sup>, Ironw<sup>d</sup>. Spruce &c.

- North Between Sec. 19 & 20, T12 N. R1 E. 2<sup>d</sup> Mer.  
 24.25 a Maple 14 m. dist.  
 40.00 Let the q. Sec. post, from which



T12 N. R1 E. 2<sup>d</sup> Mer. Indiana

- a Sp. Oak 12 in. dia. brans S 29 W 15 lbs. dist. of  
 a Sugar 16 " " " N 66 E 27 " "  
 65.87 a Sugar tree 8 " "  
 80.00 Let a post Cor. to Sec. 17, 18, 19, & 20, from which  
 a Beech 14 in. dia. brans N 16 W 7 lbs. dist. of  
 a Sugar 18 " " " N 46 E 28 " "  
 Broken 3<sup>d</sup> rate land; Oak, Beech, B. Gum, Sugar,  
 &c. underg<sup>th</sup> P. Hick<sup>y</sup>, Ironw<sup>d</sup>, briars &c.

- East On Random between Sec. 17 & 20, T12 N. R1 E.  
 40.00 Let temp<sup>y</sup> q. Sec. post  
 80.62 Intersected the N & S. line at the post.  
 Broken 3<sup>d</sup> rate land; Beech, W & B. Oak, Hickory  
 Poplar &c. underg<sup>th</sup> Dogw<sup>d</sup>, Ironw<sup>d</sup>, briars &c.

- West On true line between Sec. 17 & 20, T12 N. R1 E.  
 14.12 a Sugar tree 14 in. dia. on true line  
 40.31 Let q. Sec. post at ar<sup>d</sup> dist. on true line from which  
 a Beech 4 in. dia. brans N 49 W 4 lbs. dist. of  
 a Dog 16 " " " S 35 E 24 " "  
 55.12 a Beech 18 " " on true line  
 80.62 to Sec. Corner.

- West Between Sec. 18 & 19, T12 N. R1 E. 2<sup>d</sup> Mer.  
 22.04 a Beech 16 in. dia.  
 35.52 Intersected the 2<sup>d</sup> Mer. 710 lbs. N. of the post, &  
 let a post Cor. to Sec. 18 & 19, from which  
 a Beech 10 in. dia. brans S 11 W 6 lbs. dist. of  
 a Dogw<sup>d</sup> 4 " " " N 72 E 18 " "  
 Broken 3<sup>d</sup> rate land; Beech, B & M. Oak, Hick<sup>y</sup>.  
 Poplar &c. underg<sup>th</sup> Hickory, briars &c.

North Between Sec. 17 & 18, T12 N. R1 E. 2<sup>d</sup> Mer.

## Twp. N. R1 E. 2. Mer. Indiana

- 20.27 a Beech 14 in. dia.  
 40.00 At the q. Sec. post, from which  
     a Beech 18 in. dia. bears N 53 E 25 lbs. dist. &  
     a Do 20 " " " S 12 W 22 " "  
 64.50 a Sugar tree 18 " "  
 76.50 a Brook 10 ft. wide C. S. E.  
 80.00 At a post Cor. to Sec. 7, 8, 17 & 18, from which  
     a Beech 26 in. dia. bears N 64 W 27 lbs. dist. &  
     a Do 6 " " " S 60 E 24 " "  
 Broken 4<sup>th</sup> state land; Beech, W. B. Oak, Hickory,  
 &c. under <sup>the</sup> Ironw. Oak, Greenbrier &c.

- East On Random betw. Sec. 8 & 17, Twp. N. R1 E.  
 40.00 At temp. q. Sec. post  
 45.80 a Spring branch C. North  
 80.50 intersected the N & S. line 42 lbs. S. of the post  
 Land part level & part broken 2<sup>nd</sup> & 3<sup>rd</sup> state, W. B. Oak,  
 Beech, Hickory, Walnut, Blackberry &c. under <sup>the</sup> Dog-  
 w. Ironw. Oak, 4. Spruce, pawpaw &c. Oct. 11<sup>th</sup> 1819

- West On true line betw. Sec. 8 & 17, Twp. N. R1 E.  
 18.24 a Beech 24 in. dia. bears on true line  
 40.25 At the q. Sec. post, at av. dist. on true line, from which  
     a Beech 14 in. dia. bears S 35 W 10 lbs. dist. &  
     a Do 12 " " " N 58 W 13 " "  
 60.44 a Hickory 14 " " on true line  
 80.50 to Sec. Corner.

- West Between Sec. 7 & 18, Twp. N. R1 E.  
 20.40 a W. Gum 20 in. dia.  
 35.44 intersected the 2<sup>nd</sup> Mer. 680 lbs. N. of the post,  
 At a post Cor. to Sec. 7 & 18, from which  
     a Sugar 8 in. dia. bears N 30 E 3 lbs. dist. &

# T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Sugar tree 12 in. dia. bear S 78 E 12 lbs. dist.  
Broken 3<sup>d</sup> rate land; Beech, Hick<sup>y</sup>. B & W. Oak.  
Sugar &c. underg<sup>th</sup>. Ash, W. Oak &c.

North Between Sec. 7 & 8, T12 N. R1 E. 2<sup>d</sup>. Mer.

19.85 a Hickory 16 in. dia.

40.00 At the q. Sec. post, from which

a Sugar tree 10 in. dia. bear S 38 E 23 lbs. dist. &

a Beech 12 " " " N 38 W 20 " "

60.00 a Beech 14 " "

80.00 At a post, Cor. to Sec. 5, 6, 7 & 8, from which

a Sugar 16 in. dia. bear N 64 E 10 lbs. dist. &

a Beech 18 " " " N 64 W 20 " "

Broken 3<sup>d</sup> rate land; Beech, W. Oak, Hick<sup>y</sup>.  
&c. underg<sup>th</sup>. Dogw<sup>d</sup>. Hornw<sup>d</sup>. Sp. Oak, birch &c.

East On Random between Sec. 5 & 8, T12 N. R1 E

27.80 a Stream 14 lbs. wide C. S. E.

40.00 At temp<sup>y</sup>. q. Sec. post

78.34 a Stream 20 lbs. wide C. S. E.

80.22 Intersected the N & S. line 76 lbs. S. of the post.

1<sup>st</sup>. 1/2 mile level 2<sup>d</sup>. rate — last 1/2 mile Broken 3<sup>d</sup> rate  
land; Walnut, Ash, Hackberry, B & W. Oak, Beech,  
Sugar &c. underg<sup>th</sup>. Hornw<sup>d</sup>. Spice, birch &c.

West On true line betw. Sec. 5 & 8, T12 N. R1 E.

19.62 a Hickory 16 in. dia. on true line

40.11 At q. Sec. post on true line at cor. dist. from which

a Beech 6 in. dia. bear S 42 E 18 lbs. dist. &

a Do 16 " " " N 39 W 25 " "

60.72 a Hackberry 16 in. dia. on true line

80.22 to Sec. Corner.

T12 N. R1 E. 2<sup>d</sup>. Mer. Indiana

West Between Sec. 6 & 7, T12 N. R1 E. 2<sup>d</sup>. Mer.  
 22.53 a Sugar tree 18 in. dia.  
 35.37 Intersected the 2<sup>d</sup>. Meridian 605 th. S. of post  
 Set a post Cor. to Sec. 6 & 7, from which  
 a Beech 6 in. dia. bears S60 E 22 lks. dist. of  
 a Do 4 " " " N55 E 18 " "  
 Broken 3<sup>d</sup>. rate land; Beech, W & B. Oak, Hick<sup>y</sup>.  
 Ye. underg<sup>th</sup>. Dogwood, Oak, Ironw<sup>d</sup>. briar, &c.

North Between Sec. 5 & 6, T12 N. R1 E.

21.48 a Sugar tree 16 in. dia. in the line  
 40.00 At the q. Sec. post, from which  
 a Beech 14 in dia. bears S67 W 10 lks. dist. of  
 a Sugar tree 12 " " " N67 E 18 " "  
 44.00 a stream 12 lks. wide C.P. S.E.  
 74.80 Intersected the N. boundary 400 lks. N of post. of  
 Set a post Corner, to Sec. 5 & 6, T12 N. R1 E.  
 a Hickory 12 in. dia. bears S27 W 6 lks. dist. of  
 a Beech 14 " " " N12 E 13 " "  
 Broken 3<sup>d</sup>. rate land, Beech, W & B. Oak, Hick<sup>y</sup>.  
 Sugar Ye. underg<sup>th</sup>. Sassafras trees, &c. Oct. 12. 1819

Meanders of White River in Town 12 N. R1 E.  
 Beginning on the line between Townships  
 N. 11 & 12 N. Range 1 E. 2<sup>d</sup>. Mer. 20.93 West of  
 Corner to Sec. 31 & 32. Thence up stream on the  
 Left Bank.

N45 E	5.00	in. Sec. 31	N27 E	2.50	
N52 E	5.00		N9 E	2.00	
N33 E	2.50		N26 E	2.50	
N48 E	4.00		N65 E	0.68	to the line betw <sup>n</sup> .
N45 E	3.50		N52 E	3.00	Sec. 31 & 32.
N36 E	4.00		N79 E	4.00	in. Sec. 32



# Sp. N. R. E. I. Mer Indiana

N 81 E 6.50		N 31 W 4.00	to line between Sec. P. 28 & 29 in Sec 29.
N 76 E 4.00		N 25 W 2.00	
N 61 E 8.00		N 34 W 2.50	
N 56 E 3.00		N 30 W 2.50	
N 43 E 2.50		N 24 W 3.50	
N 25 E 4.00		N 34 W 4.50	to line between Sec. P. 20 & 29 via Sec 20.
N 6 E 4.00		N 34 W 2.50	
N 26 E 11.50		N 21 W 3.00	
N 54 E 16.00		N 23 W 5.00	
N 19 E 8.50		N 9 W 4.50	
N 17 E 3.50		N 4 W 12.00	
N 65 — 5.40	to line between Sec. P. 29 & 32 in Sec 29	N 1 E 2.00	
North 3.00		N 54 E 3.50	
N 9 W 4.50		N 81 E 2.50	
N 6 W 1.50		East 3.50	
N 9 W 4.00		N 74 E 1.50	
N 25 W 11.00		N 89 E 3.10	to line between Sec. P. 20 & 21 in Sec 21
N 10 E 5.00		N 82 E 2.00	
N 75 E 4.00		N 85 E 3.00	
N 86 E 6.00		N 83 E 2.00	
N 88 E 4.50		N 67 E 6.00	
N 83 E 8.00		N 24 E 6.50	
N 69 E 3.50		N 26 W 7.00	
N 56 E 3.00		N 53 W 4.50	
N 44 E 1.50		N 50 W 3.00	
N 36 E 3.50		N 68 W 1.00	
N 22 E 1.70	to line between Sec. P. 28 & 32 in Sec. 28	N 88 W 4.68	to line between Sec. P. 20 & 21 in Sec. 20.
N 27 E 4.00		N 88 W 3.00	
N 17 E 4.00		N 49 W 5.00	
N 2 E 9.00		N 30 W 3.00	
N 4 W 4.50		N 1 E 6.00	
N 10 W 2.00		N 32 E 3.50	
N 22 W 3.00		N 67 E 3.00	

# SP. N. P. E. 2<sup>nd</sup>. Mer. Indiana

N61 E 2.25 to line between  
Sec. 20 & 21  
in Sec. 21.

N89 E 5.00

N88 E 7.00

N66 E 6.50

N18 E 9.50

N11 W 4.50

N27 W 3.20 to line between  
Sec. 16 & 21  
in Sec. 16.

N19 W 3.00

N80 W 4.00

N65 W 6.50

N52 W 2.00

N55 W 3.00

N29 W 4.00

N14 W 2.50

N12 W 5.00

N26 W 2.50 to line between  
Sec. 16 & 17  
in Sec. 17.

N35 W 2.00

N48 W 2.00

N27 W 4.00

N8 E 5.50

N26 E 5.50

N7 E 1.50 to line between  
Sec. 16 & 17  
in Sec. 16.

N70 E 1.50

N80 E 5.00

N70 E 3.50

N78 E 2.50

N89 E 3.50

N69 E 8.00

N33 E 5.00

N9 E 5.50

N10 W 5.50

N17 W 2.00

N48 W 13.50

N18 W 6.00

N6 W 3.60

N34 E 10.00 to line between  
Sec. 9 & 16  
in Sec. 9

N69 E 3.50

N83 E 4.50

N82 E 2.50

East 10.00

N83 E 15.00

N68 E 12.50

N87 E 5.50

N44 E 6.00

N79 E 2.50

N89 E 1.25 to line between  
Sec. 9 & 10  
in Sec. 10

N84 E 2.50

N72 E 8.50

N49 E 3.50

N52 E 3.00

N31 E 3.00

N10 E 3.00

N12 E 3.50

North 6.00

N15 W 6.00

N29 W 5.00

N24 W 9.50

N63 W 2.50

N52 W 2.50

N33 W 2.50

N13 W 14.00

N34 E 3.00

N50 E 6.00

N52 E 10.00

N61 E 5.00

N78 E 6.00

# Map of R.E. 2<sup>nd</sup> Mer. Indiana

N 87 E 2.50			S 15 W 3.50		
S 72 E 16.00			S 26 W 3.00		
S 42 E 3.50			S 19 W 3.50		
S 58 E 7.50			S 9 W 6.00		
S 69 E 3.00			S 4 E 4.50		a stream 173.66. wide from N.E.
S 58 E 5.50			S 33 E 4.00		
S 35 E 1.50			S 62 E 2.00		
S 43 E 6.50			S 82 E 6.75		to line between Sec. 11 & 12 in Sec. 12
S 55 E 11.00			S 82 E 3.50		
S 74 E 3.00	to line between Sec. 10 & 11 in Sec. 11		S 88 E 5.50		
S 49 E 4.00			S 53 E 6.00		
S 63 E 4.00			S 18 E 3.50		
S 69 E 2.50			S 12 E 4.50		
S 53 E 2.50			South 4.50		
S 58 E 7.00			S 10 W 4.50		
S 62 E 3.00			S 9 E 4.00		
S 77 E 3.50			S 14 E 3.00		
S 88 E 2.00			S 38 E 2.50		
S 78 E 5.00			S 43 E 4.60		to line betw. Sec. 12 & 13. in Sec. 13.
S 75 E 8.00			S 55 E 6.00		
S 85 E 3.50			S 87 E 7.50		
S 73 E 5.50			S 52 E 5.90		to line between Sec. 12 & 13 in Sec. 12
S 56 E 3.50			S 52 E 1.50		
S 40 E 5.00			S 17 E 6.50		
S 39 E 4.00			S 19 W 3.50		
S 3 W 2.50			S 39 W 9.50		
N 11 E 7.50			N 11 E 11.50		
N 51 E 3.50			N 36 E 5.50		
N 48 E 4.00			N 78 E 5.00		
N 28 E 6.50			S 37 E 4.00		
S 82 E 4.00			S 5 E 3.50		
S 49 E 3.50			S 18 E 2.50		
S 35 E 4.00			S 39 E 7.00		

# Twp N. R. 1 E. 2<sup>d</sup>. Mer. Indiana

S 58 E 4.00		S 25 W 4.50
S 77 E 5.00		S 1 W 3.00
N 81 E 3.00		S 10 E 3.00
N 72 E 2.50		S 22 E 3.00
N 55 E 6.00		S 31 E 3.00
N 30 E 7.00		S 14 E 4.00
N 2 E 7.00		S 34 E 5.00
N 7 W 3.50		South 6.00
N 4 E 4.50		S 20 W 10.00
N 19 W 1.50		S 58 W 4.50
N 22 W 3.00		S 80 W 6.50
N 36 W 5.50		N 42 W 12.00
N 11 W 3.50		N 16 W 3.00
N 12 E 3.00		N 32 W 4.00
N 34 E 3.00		N 64 W 5.50
N 55 E 2.00		S 81 W 4.50
N 69 E 4.00		S 45 W 4.50
S 49 E 3.50		S 21 W 3.00
S 38 E 4.00		S 14 W 5.00
S 7 E 2.50		S 11 W 3.00
S 14 W 4.00		S 17 E 2.00
S 8 W 3.50		S 2 W 9.00
S 5 W 3.70		S 44 E 9.50
S 44 E 3.23	to the Range	S 9 W 3.00
	line E. bound.	S 48 W 6.50
		N 83 W 8.00
Meanders of the Right bank		N 48 W 6.00
down stream from post in E.		N 32 W 3.00
boundary.		N 9 W 3.00
N 55 W 4.00	in Sec. 12	N 6 E 9.00
N 79 W 4.50		N 23 W 4.50
S 77 W 6.00		N 48 W 9.50
S 46 W 4.00		N 80 W 7.00



Twp N. R1E. 2<sup>d</sup>. Mer. Indiana

S78W 5.25	to line betw. Sec. 11 & 12 in Sec. 11.	S62W 3.50	
S88W 3.50		S54W 2.00	to line betw. Sec. 9 & 10 in Sec. 10
N43W 4.50		S54W 5.50	
N2E 6.50		S48W 7.50	
S23E 4.00		S37W 3.00	
N33E 4.00		S18W 2.50	
N20E 4.00		S25W 3.50	
N20W 4.00		S3E 6.50	
N32W 7.00		S33E 7.00	
N77W 8.00	a Stream 150 ch. from N.W.	S50E 5.50	
S73W 3.50		S23E 3.00	
S40W 4.00		S18E 8.50	
S36W 10.60		S14E 9.50	
S22W 9.50		N21W 6.00	
S71W 12.00		S47W 4.00	
S82W 11.00		S62W 10.10	to line between Sec. 9 & 10 in Sec. 9
N82W 4.50		N72W 6.00	
N65W 4.50		N62W 4.00	
N63W 10.00		West 4.00	
N56W 9.00		S83W 4.00	a Stream 60 from N.W.
N74W 2.60	to line between Sec. 10 & 11 in Sec. 10	S69W 14.50	
N52W 5.00		S85W 8.00	
N46W 6.00		N80W 7.00	
N58W 4.50		West 7.50	
N49W 3.00		S76W 8.50	
N63W 3.00		S37W 7.00	
N55W 15.00		S33W 10.25	to line between Sec. 9 & 16 in Sec. 16
N72W 3.00	to line between Sec. 3 & 10 in Sec. 3.	S38W 3.00	
N64W 4.00		S4W 3.50	
N73W 9.00		S30E 10.00	
N86W 5.00		S56E 7.50	
S80W 6.00		S72E 2.50	
S72W 4.50		S49E 4.00	

# S 12 N - V E 1 E. 2<sup>nd</sup> Mer. Indiana

S 5 W 5.00		S 1 E 5.50	mill seat
S 27 W 5.00		S 13 E 4.00	
S 54 W 6.00		S 10 E 4.00	
S 88 W 7.00		S 27 E 4.50	
S 85 W 8.00	to Sec. line between Sec. 16, 17 in Sec. 17	S 31 E 2.50	to line between Sec. 20 & 29 in Sec. 29
S 51 W 7.00		S 46 E 3.50	
S 32 W 5.00		S 33 E 4.50	
S 18 W 8.00		S 13 E 4.00	
S 25 E 15.50		S 36 E 5.50	
S 16 E 5.00	to line between Sec. 17 & 16 in Sec. 16.	S 19 E 6.50	
S 29 E 6.00		S 2 E 12.50	
S 41 E 5.00		S 16 W 5.00	
S 64 E 3.00		S 34 W 4.00	
S 74 E 3.00		S 59 W 5.00	
S 66 E 2.25	to line between Sec. 16 & 21 in Sec. 21.	S 71 W 5.00	
S 53 E 3.50		S 82 W 3.50	
South 5.00		N 79 W 6.00	
S 40 W 7.00		N 77 W 4.00	
S 69 W 3.50		S 66 W 6.00	
West 8.40	to line between Sec. 20 & 21 in Sec. 20.	S 41 W 3.50	a brook 15 lbs. wide from N. E. W.
West 4.00		S 41 W 3.50	
S 72 W 5.50		S 7 E 2.50	
S 20 W 3.50		S 14 E 2.50	
S 8 W 2.00		S 19 E 15.50	
S 24 W 4.00		S 2 E 4.00	
S 2 E 5.00		S 14 E 4.35	to line between Sec. 29 & 32 in Sec. 32
S 10 W 5.00	to upper end of Island	South 4.00	
S 16 W 3.50	river 800 lbs wide	S 39 W 14.00	
S 70 W 3.00		S 60 W 9.00	
S 33 W 4.00		S 44 W 4.00	
S 11 W 5.50	to lower end of Island.	S 28 W 6.50	
S 22 E 5.00		S 12 W 9.00	
S 9 E 8.50	cliff of rocky.	S 12 W 2.50	

T12 N R1 E. 2<sup>d</sup> Mer. Indiana

S56 W 8.00		S41 W 11.00	
S67 W 12.00		S50 W 9.50	
S77 W 7.00	to line between	S28 W 6.50	
S41 W 10.00	Sec. 31 & 32 in Sec. 31.	S15 W 5.00	
S52 W 3.00		S5 E 2.60	Intersected

The line between Towns 11 & 12 N. Range 1 E.  
6.64-lhs. South of the beginning &c.

October 17<sup>th</sup> 1819

Surveyed by Thomas Brown, L. S.

I certify that the foregoing transcript of field notes  
of Township N. 12 North, Range N. 1 E. 2<sup>d</sup> Mer.  
Indiana, has been Comp<sup>d</sup>. with the original notes  
and found to be correct.

Surveyor General's Office  
Cincinnati, Dec. 23<sup>d</sup> 1846

E. S. Cairnes  
L. S. Surveyor General